## Author Index (Vol. 90)

Arakawa, K., see Matsunaga, A. (90) 31 Armstrong, M.L., see Lopez, J.A.G. (90) 183 Arpano, M.M., see Fisher, M. (90) 197

Bader, J., see Kreuzer, J. (90) 203
Bard, J.M., see Genest, Jr., J.J. (90) 149
Bath, P.M.W., Gladwin, A.-M. and Martin, J.F.
Human monocyte characteristics are altered in hypercholesterolaemia (90) 175

Beil, F.U., Terres, W., Orgass, M. and Greten, H. Dietary fish oil lowers lipoprotein(a) in primary hypertriglyceridemia (90) 95

Ben-Naim, M., see Harats, D. (90) 127
Bendayan, M., see Levy, E. (90) 141
Berry, E.M., see Harats, D. (90) 127
Bhatnagar, D., see MBewu, A.D. (90) 219
Boomsma, D., see De Knijff, P. (90) 169
Boschetti, C., see Cortellaro, M. (90) 109
Bouthillier, D., see Levy, E. (90) 141
Bowyer, D.E., see Le Cras, T.D. (90) 81
Brunetti, A., see Postiglione, A. (90) 23

Cammisa, M., see Postiglione, A. (90) 23
Carlson, L.A., see Tornvall, P. (90) 67
Catalano, M., see Cortellaro, M. (90) 109
Cofrancesco, E., see Cortellaro, M. (90) 109
Cohn, J.S., Lam, C.W.K., Sullivan, D.R. and Hensley, W.J.
Plasma lipoprotein distribution of apolipoprotein(a) in the fed and fasted states (90) 59

Cortellaro, M., Boschetti, C., Cofrancesco, E., Zanussi, C., Catalano, M., De Gaetano, G., Gabrielli, L., Lombardi, B., Specchia, G., Tavazzi, L., Tremoli, E., Della Volpe, A., Polli, E. and The PLAT Study Group,

The PLAT Study: a multidisciplinary study of hemostatic function and conventional risk factors in vascular disease patients (90) 109

Cortese, C., see Postiglione, A. (90) 23

Dabach, Y., see Harats, D. (90) 127
De Gaetano, G., see Cortellaro, M. (90) 109
De Knijff, P., Kaptein, A., Boomsma, D., Princen, H.M.G., Frants, R.R. and Havekes, L.M.
Apolipoprotein E polymorphism effects plasma levels of lipoprotein(a) (90) 169
Della Volpe, A., see Cortellaro, M. (90) 109
Doyle, E.M., see Fisher, M. (90) 197
Durrington, P.N., see MBewu, A.D. (90) 219

Elovainio, R., see Tikkanen, H.O. (90) 49

Fisher, M., Levine, P.H., Doyle, E.M., Arpano, M.M. and Hoogasian, J.J.
 A 21-aminosteroid inhibits oxidation of human low density lipoprotein by human monocytes and copper (90) 197

Frants, R.R., see De Knijff, P. (90) 169 Frick, M.H., see Tikkanen, H.O. (90) 49

Frostegård, J., Haegerstrand, A., Gidlund, M. and Nilsson, J. Biologically modified LDL increases the adhesive properties of endothelial cells (90) 119

ing particles in men with premature coronary artery dis-

Fruchart, J.-C., see Genest, Jr., J.J. (90) 149 Frusciante, V., see Postiglione, A. (90) 23

Gabrielli, L., see Cortellaro, M. (90) 109
Garceau, D., see Levy, E. (90) 141
Garofalo, C., see Levy, E. (90) 141
Genest, Jr., J.J., Bard, J.M., Fruchart, J.-C., Ordovas, J.M., Wilson, P.F.W. and Schaefer, E.J.
Plasma apolipoprotein A-I, A-II, B, E and C-III contain-

ease (90) 149
Gherardi, E., see Le Cras, T.D. (90) 81
Gidlund, M., see Frostegård, J. (90) 119
Gladwin, A.-M., see Bath, P.M.W. (90) 175
Gnasso, A., see Postiglione, A. (90) 23
Greten, H., see Beil, F.U. (90) 95

Groener, J.E.M., see Speijer, H. (90) 159

Haegerstrand, A., see Frostegård, J. (90) 119 Hämäläinen, E., see Tikkanen, H.O. (90) 49 Hamsten, A., see Tornvall, P. (90) 67

Harats, D., Dabach, Y., Hollander, G., Ben-Naim, M.,
Schwartz, R., Berry, E.M., Stein, O. and Stein, Y.
Fish oil ingestion in smokers and nonsmokers enhances
peroxidation of plasma lipoproteins (90) 127

Härkönen, M., see Tikkanen, H.O. (90) 49
Hautmann, M., see Kreuzer, J. (90) 203
Havekes, L.M., see De Knijff, P. (90) 169
Heistad, D., see Lopez, J.A.G. (90) 183
Hensley, W.J., see Cohn, J.S. (90) 59
Hidaka, K., see Matsunaga, A. (90) 31
Hiramatsu, K., see Prónai, L. (90) 39
Hollander, G., see Harats, D. (90) 127
Hoogasian, J.J., see Fisher, M. (90) 197

Hornstra, G., Van Houwelingen, A.C., Kester, A.D.M. and Sundram, K.

A palm oil-enriched diet lowers serum lipoprotein(a) in normocholesterolemic volunteers (90) 91

Ikeda, U., see Oguchi, A. (90) 101 Inazu, A., see Koizumi, J. (90) 189 Iwata, Y., see Koga, N. (90) 9

Jahn, L., see Kreuzer, J. (90) 203

Kajinami, K., see Koizumi, J. (90) 189 Kaptein, A., see De Knijff, P. (90) 169 Karpe, F., see Tornvall, P. (90) 67 Kester, A.D.M., see Hornstra, G. (90) 91

Koga, N. and Iwata, Y.
Pathological and angiographic regression of coronary atherosclerosis by LDL-apheresis in a patient with familial

hypercholesterolemia (90) 9 Koizumi, I., see Koizumi, J. (90) 189

Koizumi, J., Inazu, A., Yagi, K., Koizumi, I., Uno, Y., Kajinami, K., Miyamoto, S., Moulin, P., Tall, A.R., Mabuchi, H. and Takeda, R.

Serum lipoprotein lipid concentration and composition in homozygous and heterozygous patients with cholesteryl ester transfer protein deficiency (90) 189

Kreuzer, J., Bader, J., Jahn, L., Hautmann, M., Kuebler, W. and Von Hodenberg, E.

Chemotaxis of the monocyte cell line U937: dependence on cholesterol and early mevalonate pathway products (90) 203

Kuebler, W., see Kreuzer, J. (90) 203

Lam, C.W.K., see Cohn, J.S. (90) 59 Lavigne, F., see Levy, E. (90) 141

Le Cras, T.D., Gherardi, E. and Bowyer, D.E.

A sensitive RNase protection assay for the quantitation of the mRNAs for the LDL receptor and HMG-CoA reductase in human total RNA. Effects of treatments on cells in culture designed to up- and down-regulate expression of the LDL receptor (90) 81

Levine, P.H., see Fisher, M. (90) 197

Levy, E., Tardif, J., Russo, P., Lavigne, F., Thibault, L., St-Louis, J., Garofalo, C., Bendayan, M., Bouthillier, D. and Garceau, D.

Effect of clentiazem on lipid profile, lipoprotein composition and aortic fatty streaks in cholesterol-fed rabbits (90) 141

Lombardi, B., see Cortellaro, M. (90) 109

Lopez, J.A.G., Piegors, D.J., Armstrong, M.L. and Heistad, D.

Effects of sympathetic nerves on collateral vessels in the limb of atherosclerotic primates (90) 183

Lough, J., see Stewart-Phillips, J.L. (90) 211

Mabuchi, H., see Koizumi, J. (90) 189 Mackness, M.I., see MBewu, A.D. (90) 219 Mancini, M., see Postiglione, A. (90) 23 Martin, J.F., see Bath, P.M.W. (90) 175 Matsunaga, A., Sasaki, J., Takada, Y., Hidaka, K. and Arakawa, K.

Effect of simvastatin on receptor mediated metabolism of low density lipoprotein in guinea pigs (90) 31

MBewu, A.D., Durrington, P.N., Bhatnagar, D., Miller, J.P. and Mackness, M.I.

Oral carbocisteine does not lower serum lipoprotein(a) levels (90) 219

Miller, J.P., see MBewu, A.D. (90) 219 Miyamoto, S., see Koizumi, J. (90) 189 Miyashita, H., see Oguchi, A. (90) 101 Moulin, P., see Koizumi, J. (90) 189

Nakazawa, H., see Prónai, L. (90) 39 Nappi, A., see Postiglione, A. (90) 23 Natsume, T., see Oguchi, A. (90) 101 Näveri, H., see Tikkanen, H.O. (90) 49 Nilsson, J., see Frostegård, J. (90) 119

Oguchi, A., Ikeda, U., Miyashita, H., Ohara, T., Tsuruya, Y., Natsume, T., Yaginuma, T. and Shimada, K. Vascular smooth muscle cells from genetically hyperlipidemic rabbit (WHHL rabbit) exhibit decreased growth response (90) 101

Ohara, T., see Oguchi, A. (90) 101 Ordovas, J.M., see Genest, Jr., J.J. (90) 149 Orgass, M., see Beil, F.U. (90) 95

Piegors, D.J., see Lopez, J.A.G. (90) 183 Polli, E., see Cortellaro, M. (90) 109

Postiglione, A., Nappi, A., Brunetti, A., Soricelli, A., Rubba, P., Gnasso, A., Cammisa, M., Frusciante, V., Cortese, C., Salvatore, M., Weber, G. and Mancini, M. Relative protection from cerebral atherosclerosis of young patients with homozygous familial hypercholesterolemia (90) 23

Princen, H.M.G., see De Knijff, P. (90) 169

Prónai, L., Hiramatsu, K., Saigusa, Y. and Nakazawa, H. Low superoxide scavenging activity associated with enhanced superoxide generation by monocytes from male hypertriglyceridemia with and without diabetes (90) 39

Rubba, P., see Postiglione, A. (90) 23 Russo, P., see Levy, E. (90) 141

Saigusa, Y., see Prónai, L. (90) 39 Salvatore, M., see Postiglione, A. (90) 23 Sarna, S., see Tikkanen, H.O. (90) 49 Sasaki, J., see Matsunaga, A. (90) 31 Schaefer, E.J., see Genest, Jr., J.J. (90) 149 Schwartz, R., see Harats, D. (90) 127 Seed, M.

Sex hormones, lipoproteins, and cardiovascular risk (90) 1
Shimada, K., see Oguchi, A. (90) 101
Soricelli, A., see Postiglione, A. (90) 23
Specchia, G., see Cortellaro, M. (90) 109
Speijer, H., Groener, J.E.M., Van Ramshorst, E. and Van Tol, A.

Different locations of cholesteryl ester transfer protein and phospholipid transfer protein activities in plasma (90) 159

St-Louis, J., see Levy, E. (90) 141

Stein, O., see Harats, D. (90) 127

Stein, Y., see Harats, D. (90) 127

Stewart-Phillips, J.L. and Lough, J.

Pathology of atherosclerosis in cholesterol-fed, susceptible mice (90) 211

Sullivan, D.R., see Cohn, J.S. (90) 59

Sundram, K., see Hornstra, G. (90) 91

Takada, Y., see Matsunaga, A. (90) 31

Takeda, R., see Koizumi, J. (90) 189

Tall, A.R., see Koizumi, J. (90) 189

Tardif, J., see Levy, E. (90) 141

Tavazzi, L., see Cortellaro, M. (90) 109

Terres, W., see Beil, F.U. (90) 95

The PLAT Study Group, , see Cortellaro, M. (90) 109

Thibault, L., see Levy, E. (90) 141

Tikkanen, H.O., Härkönen, M., Näveri, H., Hämäläinen, E., Elovainio, R., Sarna, S. and Frick, M.H.

Relationship of skeletal muscle fiber type to serum high

density lipoprotein cholesterol and apolipoprotein A-I levels (90) 49

Tornvall, P., Karpe, F., Carlson, L.A. and Hamsten, A. Relationships of low density lipoprotein subfractions to angiographically defined coronary artery disease in young

survivors of myocardial infarction (90) 67 Tremoli, E., see Cortellaro, M. (90) 109

Tsuruya, Y., see Oguchi, A. (90) 101

Uno, Y., see Koizumi, J. (90) 189

Van Houwelingen, A.C., see Hornstra, G. (90) 91 Van Ramshorst, E., see Speijer, H. (90) 159 Van Tol, A., see Speijer, H. (90) 159 Von Hodenberg, E., see Kreuzer, J. (90) 203

Weber, G., see Postiglione, A. (90) 23 Wilson, P.F.W., see Genest, Jr., J.J. (90) 149

Yagi, K., see Koizumi, J. (90) 189 Yaginuma, T., see Oguchi, A. (90) 101

Zanussi, C., see Cortellaro, M. (90) 109



## Subject Index (Vol. 90)

Adhesion, (90) 119; (90) 175

Apolipoprotein(a), (90) 59

Apolipoprotein B-100, (90) 59

Apolipoprotein E, (90) 169

Apolipoproteins, (90) 149

Atherosclerosis, (90) 23; (90) 59; (90) 101; (90) 119; (90) 127;

(90) 183; (90) 211

Atherosclerotic lesions, (90) 141

Calcium channel blocker, (90) 141

Cardiovascular risk, (90) 1

CD11/CD18 glycoprotein, (90) 175

Cerebrovascular disease, (90) 23

Chemiluminescence, (90) 39

Chemokinesis, (90) 175

Chemotaxis, (90) 175; (90) 203

Cholesterol, (90) 159; (90) 203

Cholesterylesters, (90) 159

Cholesteryl ester transfer protein deficiency, (90) 189

c-myc, (90) 101

Collateral vessels, (90) 183

Coronary angiography, (90) 67

Coronary artery disease, (90) 149

Coronary atherosclerosis, (90) 9

Coronary heart disease, (90) 49

Cynomolgus monkeys, (90) 183

Diabetes mellitus, (90) 39

Diet, (90) 91

DNA synthesis, (90) 101

Endothelial cells, (90) 119

Endothelium, (90) 175

ESR, (90) 39

Esterified cholesterol/triglyceride molar ratio, (90) 189

Exchange, (90) 159

Extent of atherosclerosis, (90) 109

Familial hypercholesterolemia, (90) 9; (90) 23

Fatty acid, (90) 91

Fish oil, (90) 127

Fractional catabolic rate, (90) 31

Genetic polymorphism, (90) 169

HDL-cholesterol, (90) 49; (90) 189

Hemostatic factors, (90) 109

Hep G2 cells, (90) 81

HMG-CoA reductase inhibitor, (90) 31; (90) 203

Human fibroblasts, (90) 81

3-Hydroxy-3-methylglutaryl-coenzyme A reductase, (90) 81

Hyperalphalipoproteinemia, (90) 189

Hypercholesterolaemia, (90) 175

Hypercholesterolemia, (90) 141

Hypertriglyceridemia, (90) 39

IDL-cholesterol, (90) 189

Isopycnic density gradient ultracentrifugation, (90) 67

LDL, (90) 31; (90) 197; (90) 203

LDL-apheresis, (90) 9

LDL density subfractions, (90) 67

LDL modification, (90) 127

LDL peroxidation, (90) 127

LDL receptor, (90) 81

Lesion, (90) 211

Lipid transfer, (90) 159

Lipoprotein(a), (90) 91; (90) 169

Lipoprotein particles, (90) 149

Lipoproteins, (90) 1; (90) 141; (90) 149; (90) 159

Macrophages, (90) 127

Mevalonate pathway, (90) 203

Monocyte, (90) 39; (90) 175

Monocytes, (90) 197

Mouse, (90) 211

Oxidation, (90) 197

Palm oil, (90) 91

Pathology, (90) 211

Peripheral circulation, (90) 183

Phospholipids, (90) 159

Physical activity, (90) 49

Postprandial lipoprotein metabolism, (90) 59

Pravastatin, (90) 203

Regression, (90) 9

mRNA copy number, (90) 81

cRNA probes, (90) 81

RNase protection assay, (90) 81

Sex hormones, (90) 1

Simvastatin, (90) 31

Skeletal muscle fiber type, (90) 49 Smoking, (90) 127 Smooth muscle cell, (90) 101 Smooth muscle cells, (90) 127 Solution hybridization, (90) 81 Superoxide, (90) 39 Superoxide dismutase, (90) 39 Sympathetic nervous system, (90) 183

Thiobarbituric acid-reactive substances, (90) 127 Triglyceride-enriched LDL, (90) 67

Triglyceride-rich lipoproteins, (90) 59 Triglycerides, (90) 159 TRL apo(a), (90) 59

U937 cells, (90) 203

Vascular risk factors, (90) 109 Vitamin E, (90) 127

WHHL rabbit, (90) 101

